

A

PATENT  
1351.00011

04/12/99  
JC645 U.S. PTO

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
Jung S. MOON ET AL. )  
Serial No. (unassigned) )  
Filed (herewith) )

) COUNTER-TOP ELECTRIC COOKER

JC549 U.S. PTO  
09/290150  
04/12/99

TRANSMITTAL LETTER

BOX - PATENT APPLICATION  
Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Enclosed herewith for filing under 37 C.F.R. Section 1.53(b) is a patent application, including:

- 1) A specification, claims and abstract for the patent application of Jung S. Moon, Rong Liu and Alan R. Kelley, entitled COUNTER-TOP ELECTRIC COOKER;
- 2) A check in the amount of \$536.00 to cover the filing fee;
- 3) Seven sheets of informal drawings;

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" mailing label number EM114097188US  
Date of Deposit April 12, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

CORINNE BYK  
(Typed or printed name of person mailing paper or fee)

Corinne Byk  
(Signature of person mailing paper or fee)

09290430 041299

- 4) Computation sheet form PTO-1082;
- 5) Declaration and Power of Attorney for Jung S. Moon, Rong Liu and Alan R. Kelley (signed);
- 6) Declaration Claiming Small Entity Status (37 CFR 1.9 (f) and 1.27(c)) -- Small Business Concern (signed); and
- 7) Certificate of Mailing by "Express Mail" No. EM114097188US.

Any additional costs incurred with regard to this matter should be charged to our Deposit Account No. 23-0785.

The filing date based on the filing of these papers under 37 CFR Section 1.10(a) is respectfully requested.

Respectfully submitted,

WOOD, PHILLIPS, VAN SANTEN,  
CLARK & MORTIMER

By: 

Wm. A. VanSanten  
Reg. No. 22,810

Dated: April 12, 1999

500 West Madison Street  
Suite 3800  
Chicago, IL 60661  
(312) 876-1800

ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of:  
Inventor: Jung S. Moon et al.  
For: COUNTER-TOP ELECTRIC COOKER

Enclosed are:

- ☒ 7 sheets of drawing. (Figs. 1-13)
- ☐ An assignment of the invention to \_\_\_\_\_
- ☐ A certified copy of a \_\_\_\_\_ application.
- ☐ An associate power of attorney.
- ☒ A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.
- ☒ Declaration and Power of Attorney

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)	SMALL ENTITY			OTHER THAN A SMALL ENTITY	
FOR:	NO. FILED	NO. EXTRA	RATE	FEE		RATE	FEE
BASIC FEE				\$ 380	OR		\$ 760
TOTAL CLAIMS	18 - 20 =	* 0	x 9 =	0	OR	x 18 =	
INDEP. CLAIMS	7 - 3 =	* 4	x 39 =	\$156	OR	x 78 =	
MULTIPLE DEPENDENT CLAIM PRESENTED			+ 130 =	---	OR	+ 260 =	
			TOTAL	\$536	OR	TOTAL	

\*If the difference in Col. 1 is less than zero, enter 0 in Col. 2.

- ☐ Please charge my Deposit Account No. \_\_\_\_\_ the amount of \$ \_\_\_\_\_. A duplicate copy of this sheet is enclosed.
- ☒ A check in the amount of \$ 536.00 to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 23-0785. A duplicate copy of this sheet is enclosed.
  - ☒ Any additional filing fees required under 37 CFR 1.16.
  - ☒ Any patent application processing fees under 37 CFR 1.17.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 23-0785. A duplicate copy of this sheet is enclosed.
  - ☒ Any patent application processing fees under 37 CFR 1.17.
  - ☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).
  - ☒ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

"Express Mail" mailing label number EM114097188US  
Date of Deposit April 12, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Corinne Byk

(Typed or printed name of person mailing paper or fee)

*Corinne Byk*  
(Signature of person mailing paper or fee)

Respectfully submitted,

*Wm. A. VanSanten*

Wm. A. VanSanten  
Reg. No. 22,810

WOOD, PHILLIPS, VANSANTEN, CLARK & MORTIMER, 500 West Madison Street, Suite 3800, Chicago, Illinois 60661-2511

Applicant or Patentee: Jung S. Moon et al. Attorney's  
Serial or Patent No.: Unassigned Docket No.: 1351.00011  
Filed or Issued: Herewith  
For: COUNTER-TOP ELECTRIC COOKER

**DECLARATION CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.9 (f) AND 1.27(c)) -- SMALL BUSINESS CONCERN**

I hereby declare that I am:  
☐ the owner of the small business concern identified below:  
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN Hearthware Home Products, Inc.  
ADDRESS OF CONCERN 602 Wheeling Road  
Wheeling, Illinois 60090

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled COUNTER-TOP ELECTRIC COOKER by inventor(s)  
described in:

☒ the specification filed herewith.

☐ Application Serial No. \_\_\_\_\_, filed \_\_\_\_\_  
☐ Patent No. \_\_\_\_\_, issued \_\_\_\_\_

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below\* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9 (c) if that person had made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

\*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)


NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Alan R. Kelley  
TITLE OF PERSON OTHER THAN OWNER Vice President - Sales & Marketing  
ADDRESS OF PERSON SIGNING 602 Wheeling Road, Wheeling, IL 60090

SIGNATURE  DATE 4/9/89

**APPLICATION FOR  
UNITED STATES LETTERS PATENT  
SPECIFICATION**

---

CERTIFICATE OF MAILING BY "EXPRESS MAIL" - "Express Mail" mailing label number EM114097188US

Date of Deposit: April 12, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

*Corinne Byk*  
(Corinne Byk)

TO ALL WHOM IT MAY CONCERN:

Be it known that **Jung S. Moon**, a citizen of Korea, residing at 421 Foxford Drive, Buffalo Grove, in the County of Lake and State of Illinois, and **Rong Liu**, a citizen of the Peoples Republic of China, residing at 374 Inland Drive, Apt. 3A, Wheeling, in the County of Cook and State of Illinois, and **Alan R. Kelley**, a citizen of the United States, residing at 421 E. Oakwood Drive, Barrington, in the County of Lake and State of Illinois, have invented a new and useful "COUNTER-TOP ELECTRIC COOKER", of which the following is a specification.

-1-

## COUNTER-TOP ELECTRIC COOKER

### FIELD OF THE INVENTION

This invention relates to electric ovens, and in particular to counter-top electric cook ovens.

### BACKGROUND OF THE INVENTION

Counter-top electric ovens are known in the art. In comparison to conventional ovens, counter-top electric ovens typically offer the advantage of being less bulky and having quicker cooking times. It is common for counter-top ovens to include a power head having a heating unit that is used to heat the cooking enclosure. It is also common for the interior of the cooking enclosure in such ovens to be accessed by manually lifting an upper portion of the cooking enclosure from the remainder of the cooking enclosure. To reduce the weight of counter-top electric ovens for portability and to provide a cooking enclosure that allows viewing of the cooking operation, counter-top electric ovens typically utilize plastic materials for a majority of their housings, including for the cooking enclosure. To reduce the cooking time, counter-top electric ovens typically will rely on a hot air stream that is cycloned around the food by

-2-

5 a high speed fan associated with the electric heating element, or by utilizing an infrared heating element in combination with a relatively low speed fan that generates sufficient air circulation in the oven to ensure a relatively uniform temperature distribution in the oven. One example of a counter-top electric oven that utilizes an infrared electric heating element, a relatively low speed fan, and plastic housings, is disclosed in U.S. Patent No. 5,404,420 issued April 4, 1995 to Eugene Song.

10 One problem associated with such ovens is the heat generated by the heating unit of the power head. This heat can potentially damage plastic components of the oven and can also potentially increase the temperature of the oven housings to a point where a user cannot comfortably access the cooking enclosure. This problem is especially of concern for the components and housing near the heating unit.

15 As seen in the Song patent, it is also known for the lower portion of the cooking enclosure of such ovens to be defined by a metallic pan having an interior surface at which the heat generated by the heating unit is directed. The metallic pan is supported and surrounded by a plastic base which prevents the heat transmitted from the metallic pan from damaging the counter-top on which the oven is resting. One problem associated with this construction is that the metallic plate can transfer sufficient heat from the heating unit to damage housing components contacting the pan, or can transfer

-3-

sufficient heat surrounding the housing to a point where a user cannot comfortably touch the surrounding housing. Another problem associated with this construction is that it can be very difficult to remove the metallic pan from the base, especially when the metallic pan is hot.

5           Other concerns common to counter-top ovens are the assembly and disassembly of the housings to allow the insertion and removal of food for cooking, and the cleaning of the interior of the cooking enclosure and the heating components therein.

#### SUMMARY OF THE INVENTION

10           It is the principal object of the invention to provide a new and improved counter-top electric oven.

          It is another object of the invention to provide a new and improved counter-top infrared electric oven.

15           It is another object of the invention to provide a counter-top electric oven that minimizes the risk of heating housing components to a point where the components can be damaged or where a user cannot comfortably handle the housings during operation or soon after operation has been terminated.



-4-

5 An exemplary embodiment of the invention achieves at least some of the foregoing objects in a counter-top electric oven for cooking food that includes a cooking enclosure and a power head detachably connected to the cooking enclosure. The cooking enclosure includes an upper surface with an opening therein. The power head includes a heating unit extending into the cooking enclosure through said opening, a fan chamber positioned above the cooking enclosure and the heating unit, a fan mounted in the fan chamber to create a cooling air flow through the fan chamber, a plurality of air inlets to the fan chamber to allow the cooling air flow into the fan chamber, and a cooling manifold surrounding the opening in the upper surface and facing the upper surface outside of the cooking enclosure. The cooling manifold is in fluid communication with the fan chamber and includes a plurality of air outlets arranged to direct the cooling air flow from the fan chamber toward the upper surface of the cooking enclosure to cool the upper surface.

10  
15 In accordance with another aspect of the invention, a counter-top electric oven for cooking food includes a cooking enclosure, a power head detachably connected to the cooking enclosure, and a plastic base that supports the cooking enclosure. The cooking enclosure includes an oven housing and a metallic oven pan having interior and exterior surfaces and located beneath the oven housing. The power head includes a

-5-

heating unit extending into the cooking enclosure. The heating unit includes an electric heating element arranged to direct heat toward the interior surface of the oven pan. The plastic base has an interior that surrounds the oven pan with an air gap and includes one or more supports for the oven pan and one or more thermal insulators between the posts and the exterior surface of the oven pan to prevent overheating of the base by the heat directed at the interior surface of the oven pan.

According to one aspect of the invention, an electric oven for cooking food includes a base, a cooking enclosure supported by the base, and a power head detachably connected to the cooking enclosure. The cooking enclosure is defined by an oven housing and an oven pan located beneath the oven housing. The oven pan is surrounded by an interior of the base and includes a lip defining an outer periphery of the oven pan. A pair of retractable handles are mounted to the lip for movement between a first position where the handles are extended from the lip so that a user may grasp the handles to remove the pan from the base and a second position where the handles are retracted toward the lip to allow the oven housing to be positioned above the oven pan without interfering with the handles. The power head includes a heating unit extending into the cooking enclosure.

-6-

In accordance with one aspect of the invention, a counter-top electric oven includes a cooking enclosure and a power head detachably connected to the cooking enclosure. The power head includes a heating unit extending into the cooking enclosure. The heating unit includes a heating element for heating the cooking enclosure. The power head further includes a controller configured to selectively power the heating element between a minimum power and a maximum power and to limit the cooking time at maximum power to a predetermined period to prevent overheating of the cooking enclosure.

According to one aspect of the invention, an electric oven includes a cooking enclosure, and a power head connected to the cooking enclosure and including a heating unit extending into the cooking enclosure. The heating unit includes a heater housing defining a cavity, a heating element mounted in the cavity for heating the cooking enclosure, and a protective grid mounted to the heater housing between the heating element and the cooking enclosure. The protective grid includes oppositely directed legs, with each leg slidably received in a mating aperture in the heater housing to detachably mount the protective grid to the heater housing. The heating unit further includes a fastener engaged with the heater housing for movement between a first position where the fastener engages one of the legs to restrict movement of the grid

-7-

relative to the heater housing, and a second position where the fastener is disengaged from one of the legs to allow removal of the grid from the heater housing.

According to one aspect of the invention, an electric oven includes a base having an upwardly extending wall surrounding an interior of the base, and an oven housing having a downwardly extending wall surrounding an interior of the oven housing, and an annular lip formed on the outer surface of the downwardly extending wall of the oven housing. The annular lip is engageable with the upwardly extending wall of the base to support the oven housing on the upwardly extending wall of the base with a portion of the downwardly extending wall extending below the lip and cooperating with the upwardly extending wall of the base to restrict the leakage of hot gases from the interiors of the base and the cooking enclosure. A relief is provided on the portion of the downwardly extending wall to ease engagement of the oven housing with the base.

Other objects and advantages will become apparent from the following specification taken in connection with the accompanying drawings.

## BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a perspective view of a counter-top infrared electric oven embodying the features of the invention;

Fig. 2 is an exploded view of the oven shown in Fig. 1;

Fig. 3 is a somewhat diagrammatic section view of the oven shown in Fig. 1;

Fig. 3A is an enlarged view of the area indicated by lines 3A-3A in Fig. 3;

Fig. 4 is a perspective view of an oven pan of the oven shown in Fig. 1;

Fig. 5 is an exploded view of a power head of the oven shown in Fig. 1;

Fig. 6 is an enlarged view of the area indicated by lines 6-6 in Fig. 3;

Fig. 7 is a diagrammatic representation of the operating components of the oven shown in Fig. 1;

Fig. 8 is a flow chart illustrating selected operational features of the oven shown in Fig. 1;

Figs. 9A-D are perspective views illustrating the mounting and the removal of a protective grid of the oven shown in Fig. 1;

-9-

Fig. 10 is a perspective view of an optional embodiment of a base for the oven shown in Fig. 1;

Fig. 11 is an enlarged, fragmentary section view taken substantially along line 11-11 in Fig. 10;

Fig. 12 is a perspective view of another optional embodiment of a base 10 for the oven shown in Fig. 1; and

Fig. 13 is an enlarged, fragmentary section view taken substantially along line 13-13 in Fig. 12.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

An exemplary embodiment of a counter-top electric oven made according to the invention is described herein and is illustrated in the drawings in connection with an infrared counter-top oven. However, it should be understood that many features of the invention may find utility in other types of counter-top electric cooking ovens, including those using cyclonic air flow in combination with simple resistance electric heating elements. Accordingly, no limitation is intended to use in connection with an infrared heating element except insofar as expressly stated in the appended claims.

-10-

With reference to Figs. 1 and 2, a counter-top electric oven 10 includes a base 12, an oven pan 14 supported by the base 12, a cooking rack 16 supported by the oven pan 14, a generally cylindrical, transparent oven housing 18 supported by the base 12, and a power head 20 supported on the oven housing 18 and detachably connected to the oven housing 10. Together, the oven pan and the oven housing 18 define a cooking enclosure 21 with the oven 10 is in the assembled state shown in Fig. 1.

As best seen in Figs. 2 and 3, the base 12 has an interior surface 22 defined by a generally cylindrical side wall 24 and a planar bottom 26. A pair of handles 27 extend from the cylindrical side wall 24 to allow a user to move the oven from one location to another. The interior surface 22 surrounds the oven pan 14 and is spaced from the oven pan 14 by an air gap. The base 12 further includes one or more supports 28 for the oven pan 14 and one or more thermal insulators 30 between the one or more supports 28 and the oven pan 14 to prevent overheating of the base 12 by the heat from the oven pan 14. In the preferred embodiment shown in Figs. 2 and 3, the or more supports 28 are provided in the form of three cylindrical pillars 28A, and the one or more thermal insulating spacers 30 are provided in the form of three cylindrical spacers 30A, each supported by one of the pillars 28A. As seen in the section view of the spacer 30A and pillar 28A in Fig. 3, each of the spacers 30A includes a cylindrical stub 32 that

-11-

is engaged in a mating hole 36 in each pillar 28A to retain each of the spacers 30A to the respective pillar 28A. While it is preferred that the cross-sections of the spacers 30A and the pillars 28A be generally circular, it should be understood that the invention contemplates non-circular cross-sections, such as, for example, triangular, oval, square, rectangular, trapezoidal, hexagonal, etc. The oven pan 14 is supported on the insulators 30 to maintain the air gap between the interior surface 22 and the cooking pan 14 and to prevent overheating of the base 12, including the handles 27. Preferably, the plastic base 12 is made from a suitable polycarbonate material and the thermal insulators 30 are made from a suitable silicone rubber insulating material.

The metallic oven pan 14 includes an interior surface and an exterior surface 38 defined by a cylindrical side wall 39 and a planar bottom 40. Preferably the oven pan 14 is a one piece construction made of aluminum plate with a suitable non-stick PTFE coating on the interior surface 37. A pair of retractable handles 41 are mounted to a lip 42 that defines an outer periphery of the oven pan 14. The handles 41 are mounted to the lip 42 for movement between a first position, shown in Fig. 2, where the handles 41 are extended from the lip 42 so that a user may grasp the handles 41 to remove the pan 14 from the base 12, and a second position, shown in Fig. 4, where the handles 41 are retracted toward lip 2 to allow the oven housing 18 to be positioned



-12-

above the oven pan 14, as shown in Fig. 3, without interfering with the handles 41. As best seen in Fig. 4, each of the handles 41 has a pair of legs 43 extending from a grasping member 44. Each of the legs 43 are received in a vertical guide hole 45 formed in the lip 42 to guide the handles 41 between the first and second positions. Each of the legs terminate in a tab 46 that engages the lip 42 with the handle 41 in the first position. Preferably, the handles are made from a unitary piece of metallic wire that is bent to form the grasping member, the legs 43, and the tabs 46.

The cooking rack 16 includes a planar grid 47 for supporting food items that are being cooked, a first set of loop projections 48 extending in one direction from the plane of the grid 47 and a second set of loop projections 49 extending in the opposite direction from the plane of the grid 47. The projections 48 can be used to support the grid to provide a first cooking height for food items supported by the grid 47, while the projections 49 can be used to support the grid 47 to provide a second cooking height for the grid 47. Preferably, the cooking rack 16 is made from 304 stainless steel with a suitable non-stick PTFE coating.

As best seen in Fig. 3, the oven housing 18 includes an interior surface 50 defined by a generally cylindrical side wall 52 that blends into a generally conical-shaped side wall 54 which in turn blends into a planar upper wall 56 which finally

-13-

blends into a generally cylindrical ring 58. An annular lip 59 is formed on the outer surface of the wall 52 and serves to support the oven housing 18 on the side wall 24 of the base 12. A portion 60 of the wall 52 that extends below the lip 59 cooperates with the side wall 24 of the base 12 to restrict the leakage of hot gases, such as steam, from the cooking enclosure 21. As best seen in Fig. 3A, the portion 60 includes an annular lead-in chamfer or relief 61 that serves to guide the portion 60 into the base 12, thereby easing the engagement of the oven housing 18 to the base 12 and preventing the mislocation of the housing 18 relative to the base 12. The relief 61 allows for the portion 60 to be inserted into the base 12 without precise vertical movement of the housing 18 relative to the base 12, i.e., the housing 18 can be inserted into the base 12 while being tilted somewhat relative to vertical. Preferably, the oven housing 18 is formed from a suitable transparent polycarbonate material.

As best seen in Figs. 3 and 5, the power head 20 includes an exterior housing assembly 62. The assembly 62 includes a domed shape upper housing 64 having a pair of handles 64, and a lower housing 66 including a cylindrical wall portion 66 and an annular flange 70. As seen in Fig. 2, four equally spaced lands 72 (only one shown) are raised from the cylindrical wall 66 to engage a plurality of ramped tabs 74 formed on the ring 58 of the housing 18 to detachably connect the power head 20 and

-14-

the housing 18. The power head 20 further includes a motor 76 for driving a cooling fan 78 and an oven fan 80 via a common shaft 82, an infrared electric heating element 84, a heater/fan housing 86, a radiation plate 88 mounted to an interior surface of the heater housing 86, a glass fiber thermal insulator 90 mounted between the heater housing 86 and the motor 76, a mica sheet 92 mounted between the upper housing 64 and the lower housing 66, a protective grid 94, a thermistor 96, a thermostat 98, and a controller 100 including a pair of control boards 102 and 164 for controlling the heating element 84 and the motor 76 in response to signals from the thermistor 96 and command signals input into a control panel 106 by a user. Preferably, the fan 78 is made of a suitable plastic material, while the fan 80 and the radiation plate 88 are made of aluminum plate in order to reflect the infrared energy from the heater 84 down toward the interior of the cooking enclosure 19. It is also preferred that the motor 76 drive the fans 78 and 80 at a speed in the range of 2500 rpm, which should provide an adequate air flow from the fan 80 to create a relatively even temperature throughout the cooking enclosure 21 and to speed the cooking of food by convection to supplement the infrared cooking, without generating the high speed air motion associated with some cyclonic electric counter-top ovens. Another benefit of the relatively low speed air flow created by the fan 80 is that it helps to maintain the hot surfaces of the oven 10 in a temperature range that will tend

-15-

to emit infrared radiation and limits the decrease in emissivity of the non-metal materials of the oven 10. It is preferred that the heating element 84 be made of an incoloy 840 material coated with a G-1500 (CRC 1500) ceramic coating having a coating thickness of  $20 \pm 5 \mu\text{m}$ , with the main components of the coating material being  $\text{SiO}_2$ ,  $\text{TiO}_2$ , and  $\text{Al}_2\text{O}_3$ , with an inorganic pigment, mainly Si-O. The ceramic coating increases the emissive power of the heating element and shifts the emission spectrum to the infrared range. With this coating, the heating element 84 is capable of generating approximately 98% or more of its heat radiation in the infrared range. A sol-gel coating method is used for coating the ceramic material firmly onto the incoloy 840 material. Infrared electric heating elements of this construction have been used in the past on hair dryers, bread makers, etc. The grid 94 is preferably made of 304 stainless steel or from any suitable PTFE coated metallic material. Preferably, the upper housing is made from a suitable polycarbonate material and the lower housing and the heater housing are made from zinc plated steel or steel coated with a suitable non-stick PTFE coating.

Together, the cylindrical wall portion 68 of the lower housing 66, the heater housing 86, the radiation plate 88, the fan 80, and the heating element 84 define a heating unit 108 that extends into the cooking enclosure 21 through an opening 110 defined by the cylindrical portion 58 of the housing 18. Together, the upper housing 64

-16-

and the mica sheet 92 define a fan chamber 111 that is thermally insulated from the interior of the cooking enclosure 21 by the mica sheet 92, the glass fiber insulator 90, the heater housing 86, the radiation plate 88, and the lower housing 66. As best seen in Figs. 3 and 5, a plurality of cooling air outlets 112 are formed in the annular flange 70 of the lower housing 66. Cut-outs 113 are provided in the mica sheet 92 to prevent interference between the outlets 112 and the mica sheet 92 and to allow a cooling air flow to pass through the mica sheet 92 to the outlets 112. Preferably, the outlets 112 are equally circumferentially spaced around the flange 70.

Together the flange 70 and the outlets 112 define a cooling manifold 114 that surrounds the opening 110 of the housing 18 and faces the surface 56 outside of the cooking enclosure 21. The cooling fan 78 actively cools the fan chamber 111 and the walls 52, 54, 56 and 58 of the housing 18 by drawing a cooling air flow through a plurality of inlet openings 116 formed in the upper housing 64 and forcing the cooling air to exit through the outlets 112, which direct the cooling air flow toward the surface 56 of the housing 18 to cool the housing 18, as indicated by arrows A.

As best seen in Fig. 6, the wall 68 and the flange 70 are spaced from the cylindrical ring 58 of the housing 18 by the tabs 74 to define a hot gas vent 118 that surrounds the heating unit 108 between the heating unit 108 and the outlets 112 to vent

-17-

hot gas, such as steam, from the inside of the cooking enclosure 21 for mixture with the cooling air flow from the air outlets 112, as shown by the arrow B.

The control boards 102 and 104 are spaced from the interior surface of the upper housing 64 by a plurality of mount supports 120 to allow the cooling air flow to pass over both sides of the control boards 102 and 104 as it circulates around the fan chamber 111 before exiting through the outlets 112, thereby enhancing the cooling of the electronics on the control boards 102 and 104.

As best seen in Fig. 7, the controller 100 is connected to the motor 76 and the heating element 84 to control the flow of electric power to the motor 76 and the heating element 84 in response to signals from the thermistor 96 and command signals input by the control panel 106 by a user. The controller is configured to selectively power the heating element at a number of power levels P from a minimum power to a maximum power. At each power increment P, the controller 100 powers the heating element when the thermistor 96 indicates that the temperature in the cooking enclosure 21 has fallen below a low temperature set point associated with the particular power level P. The controller 100 then terminates power to the heating element 84 when the temperature indicated by the thermistor 96 exceeds a high temperature set point associated with the particular power level P. The controller provides power

-18-

continuously to the motor 76 during the heating operations regardless of the power level selected.

As best seen in Fig. 8, the controller is configured to limit the cooking time at the maximum power setting to two hours to prevent overheating of the oven 10. More specifically, after a user sets the power level P and enters the desired cook time t at block 130, it is determined at 132 whether the power has been set to the maximum power level. If the power is set to maximum, it is determined at 134 whether the desired cooking time exceeds two hours. If the desired cooking time exceeds two hours, the cooking time is automatically limited to two hours by the controller 100 at 136. If the desired cooking time is less than two hours, or if the power level P is not set to maximum, the controller is configured to run the heating element 84 and the motor 76 at the power level P and for the desired cooking time t, as shown at block 138.

After the cooking time has expired, the controller 100 is configured to terminate power to the heating element 84 and to the motor 76. However, as an optional feature, after the cooking time has expired, the controller 100 can be configured to terminate power to the heating element 84 while providing power to the motor 76 for a five minute cooling stage, as shown at 140 and 142. This may allow time for the hot gases in the cooking enclosure 21 to vent and to be cooled by the cooling air flow from

-19-

the outlets 112, thereby preventing hot gases, such as steam from accumulating in the cooking enclosure 21 and/or the fan chamber 111 and also preventing the handles 65 from overheating.

As best seen in Fig. 9A, the protective grid 94 includes a first pair of legs 150 that are oppositely directed relative to a second pair of legs 152. As best seen in Fig. 9B, each of the legs 150, 152, is slidably received in a mating aperture 154 in the heater housing 86 to detachably mount the protective grid 94 to the heater housing 86. A fastener 156 is engaged with the heater housing 86 for movement between a first position shown in Fig. 9A where the fastener engages one of the legs 152 to restrict movement of the grid 94 relative to the heater housing 86 to prevent removal of the grid 94 from the heater housing 86, and a second position shown in Fig. 9B where the fastener is disengaged from the one leg 152 to allow removal of the grid 94 from the heater housing 86. Preferably, as seen in Fig. 9B, the fastener 156 is provided in the form of a threaded set screw that is threadably engaged with the housing 86, with the end of the set screw frictionally engaging the one leg 152 in the first position shown in Fig. 9A. In this regard, it should be noted that for the fastener to be in the second position it need not be completely removed from the housing 86 as shown in Fig. 9B, rather, the fastener 156 need only be positioned so that it is disengaged from the one leg



-20-

152 to allow movement of the grid 94 relative to the housing 86. As best seen in Fig. 9C, with the fastener 156 in the second position, the legs 152 can be slid in the apertures 154 to allow the grid 94 to move relative to the housing 86 in the direction of the legs 152, as indicated by Arrow A, to thereby remove the legs 150 from their mating apertures 154. Once the legs 150 are removed from their mating apertures 154, the grid 94 can be tilted downward as shown by the arrow B in Fig. 9D and then the grid 94 can be moved in the direction of the legs 150, as indicated by Arrow C, to thereby remove the legs 152 from their mating apertures 154 and thus, the grid 94 from the housing 86. Removal of the grid allows for cleaning of the heating element 84, the fan 80, the reflector plate 88, and the interior of the housing 86.

As best seen in Figs. 10 and 11, in an optional embodiment of the base 12, the one or more supports 28 are provided in the form of three or more circumferentially spaced feet 28B that extend from the side wall 24 to underlie the oven pan 14, and the thermal insulators 30 are provided in the form of three or more thermal insulating spacers 30B, each supported by one of the feet 28B.

As best seen in Figs. 12 and 13, in one optional embodiment of the base 12, the one or more supports 28 is provided in the form of an annular shoulder 28C formed on the interior surface 22 of the base 12, and the one or more insulators 30 are

-21-

provided in the form of a thermal insulating ring 30C that is supported by the shoulder  
28C.

-22-

CLAIMS

1. An electric oven for cooking food, the oven comprising:
  - 2 a cooking enclosure including an upper surface with an opening therein; and
  - 4 a power head detachably connected to the cooking enclosure and including
  - 6 a heating unit extending into the cooking enclosure through said opening,
  - 8 a fan chamber positioned above the cooking enclosure and the heating
  - 10 unit,
  - 12 a fan mounted in the fan chamber to create a cooling air flow through the
  - 14 fan chamber,
  - a plurality of air inlets to the fan chamber to allow said cooling air flow
  - into the fan chamber, and
  - a cooling manifold surrounding said opening and facing said upper
  - surface outside of said cooking enclosure, the cooling manifold in fluid
  - communication with the fan chamber and including a plurality of air outlets
  - arranged to direct the cooling air flow from the fan chamber toward the upper
  - surface of the cooking enclosure to cool the upper surface.

-23-

2. The electric oven of claim 1 wherein said heating unit includes an electric  
infrared heating element made of incoloy 840 coated with the main components of the  
coating material being  $\text{SiO}_2$ ,  $\text{TiO}_2$ , and  $\text{Al}_2\text{O}_3$ .

3. The electric oven of claim 1 wherein there is said heating unit is spaced  
from said opening to define a hot gas vent surrounding said heating unit and located  
between said heating unit and said air outlets to vent hot gas from the inside of the  
cooking enclosure for mixture with said cooling air flow from said air outlets.

4. The electric oven of claim 3 wherein said electric oven further includes  
a controller configured to run the fan for a predetermined cooling period after power to  
the heating unit has been terminated.

5. An electric oven for cooking food, the oven comprising:  
a cooking enclosure including an oven housing and a metallic oven pan having  
interior and exterior surfaces and located beneath the oven housing;  
a power head detachably connected to the cooking enclosure and including

-24-

a heating unit extending into the cooking enclosure, the heating unit including an electric  
6 heating element arranged to direct heat toward the interior surface of the oven pan; and  
a plastic base having an interior that surrounds the oven pan with an air gap, the  
8 base including one or more supports for the oven pan and one or more thermal insulators  
between the posts and the exterior surface of the oven pan to prevent overheating of the  
10 base by the heat directed at the interior surface of the oven pan.

6. The electric oven of claim 5 wherein the one or more supports comprises  
a plurality of support posts, and the one or more thermal insulators comprises a plurality  
of thermal insulators, each insulator between one of the support posts and the exterior  
surface of the pan.

7. The electric oven of claim 5 wherein the interior of the base is defined  
2 by an upwardly extending side wall, the one or more supports comprises a plurality of  
feet that extend from the side wall to underlie the oven pan, and the one or more thermal  
4 insulators comprises a plurality of thermal insulators, with each insulator positioned  
between one of the feet and the exterior surface of the oven pan.

-25-

8. The electric oven of claim 5 wherein the one or more supports comprises  
an annular shoulder on the interior of the base, and the one or more thermal insulators  
comprises an annular insulating ring between the shoulder and the exterior surface of  
the oven pan.

9. The electric oven of claim 5 wherein the base comprises a polycarbonate  
material.

10. The electric oven of claim 5 wherein the insulators comprise a silicon  
material.

11. The electric oven of claim 5 wherein the one or more supports are a  
unitary part of the base.

12. An electric oven for cooking food, the oven comprising:

a base;

a cooking enclosure supported by the base, the cooking enclosure defined by an  
oven housing and an oven pan located beneath the oven housing and surrounded by an

-26-

interior of said base, the oven pan including a lip defining an outer periphery of the oven  
pan, and a pair of retractable handles mounted to the lip for movement between a first  
position where the handles are extended from the lip so that a user may grasp the  
handles to remove the pan from the base and a second position where the handles are  
retracted toward the lip to allow the oven housing to be positioned above the oven pan  
without interfering with the handles; and

a power head detachably connected to the cooking enclosure and including a  
heating unit extending into the cooking enclosure.

13. The electric oven of claim 12 wherein each of the handles has a pair of  
legs extending from a grasping member, each of the legs received in a guide hole formed  
in the lip to guide the handles between the first and second positions, each of the legs  
terminating in a tab that engages the lip with the handle in the first position.

14. The electric oven of claim 12 wherein each of the handles comprises a  
unitary piece of wire that is bent to form the grasping member, the legs, and the tabs.

-27-

15. An electric oven for cooking food, the oven comprising;

a cooking enclosure; and

a power head detachably connected to the cooking enclosure and including a heating unit extending into the cooking enclosure, the heating unit including a heating element for heating the cooking enclosure, the power head further including a controller configured to selectively power the heating element between a minimum power and a maximum power and to limit the cooking time at maximum power to a predetermined period to prevent overheating of the cooking enclosure.

16. An electric oven for cooking food, the oven comprising:

a cooking enclosure; and

a power head connected to the cooking enclosure and including a heating element extending into the cooking enclosure, the heating unit including:

a heater housing defining a cavity,

a heating element mounted in the cavity for heating the cooking enclosure,

a protective grid mounted to the heater housing between the heating element and the cooking enclosure, the protective grid including oppositely



-28-

10 directed legs, each leg slidably received in a mating aperture in the heater  
housing to detachably mount the protective grid to the heater housing, and

12 a fastener engaged with the heater housing for movement between a first  
position where the fastener engages one of the legs to restrict movement of the  
14 grid relative to the heater housing and a second position where the fastener is  
disengaged from one of the legs to allow removal of the grid from the heater  
16 housing.

17. An electric oven for cooking food, the oven comprising:

2 a base having an upwardly extending, continuous wall that surrounds an interior  
of the base; and

4 an oven housing including a downwardly extending wall surrounding an interior  
of the oven housing; an annular lip formed on the outer surface of the downwardly  
6 extending wall, the annular lip engageable with the upwardly extending wall of the base  
to support the oven housing on the upwardly extending wall of the base with a portion  
8 of the downwardly extending wall extending below the lip and cooperating with the  
upwardly extending wall to restrict the leakage of hot gases from the interiors of the base

-29-

10 and the cooking enclosure; and a relief on said portion of the wall to ease engagement  
of the oven housing with the base.

18. A counter-top electric oven for cooking food, the oven comprising:

2 a cooking enclosure including an oven housing and a metallic oven pan having  
interior and exterior surfaces and located beneath the oven housing, the oven housing  
including an upper surface with an opening therein, the oven pan including a lip defining  
an outer periphery of the oven pan, and a pair of retractable handles mounted to the lip  
for movement between a first position where the handles are extended from the lip so  
that a user may grasp the handles to remove the pan from the base and a second position  
where the handles are retracted toward the lip to allow the oven housing to be positioned  
above the oven pan without interfering with the handles, each of the handles having a  
pair of legs extending from a grasping surface, each of the legs being received in a guide  
hole formed in the lip to guide the handles between the first and second positions, each  
10 of the legs terminating in a tab that engages the lip with the handle in the first position;

a power head detachably connected to the cooking enclosure and including

14 a heating unit extending into the cooking enclosure through said opening, the heating  
unit including an electric heating element arranged to direct heat toward the interior

-30-

16 surface of the oven pan, the heating unit spaced from said opening to define a hot gas  
vent surrounding said heating unit to vent hot gas from the inside of the cooking  
18 enclosure, the power head further including

a fan chamber positioned above the cooking enclosure and the heating  
20 unit,

a fan mounted in the fan chamber to create a cooling air flow through the  
22 fan chamber,

a plurality of air inlets to the fan chamber to allow said cooling air flow  
24 into the fan chamber, and

a cooling manifold surrounding said opening and said hot gas vent and  
26 facing said upper surface outside of said cooking enclosure, the cooling manifold  
in fluid communication with the fan chamber and including a plurality of air  
28 outlets arranged to direct the cooling air flow from the fan chamber toward the  
upper surface of the cooking enclosure to cool the upper surface and to mix with  
30 said hot gas from said hot gas vent; and

a plastic base having an interior that surrounds the oven pan with an air gap, the  
32 base including a plurality of support posts to support the oven pan and a plurality of



34

thermal insulators between the posts and the exterior surface of the oven pan to prevent  
overheating of the base by the heat directed at the interior surface of the oven pan.

34

-32-

### ABSTRACT

A counter-top electric oven is provided that includes a number of features that prevent overheating of the components of the oven. These features include an actively cooled fan chamber, a hot gas vent, a cooling manifold that directs cooling air to cool the cooking enclosure and hot gas vented from the hot gas vent, and a base with thermally insulated supports for a metallic oven pan of the cooking enclosure.

5

6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203






FIG. 3





FIG. 3A





Fig. 5






Fig. 7




Fig 8




Fig. 9A




Fig. 9C




Fig. 9D




Fig. 10




Fig. 11




Fig. 12





Fig. 13



# DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: COUNTER-TOP ELECTRIC COOKER  
the specification of which:

☒ is attached hereto. ☐ was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above, and that I believe the named inventor(s) to be the original and first inventor(s) of the subject matter which is claimed and for which a patent is sought, and hereby acknowledge the duty to disclose information which is material to the examination of the application in accordance with § 1.56 (reprinted on the back) of Title 37 of the Code of Federal Regulations.

I also hereby state that no patent applications on this invention have previously been filed in countries foreign to the United States of America, except as follows:

COUNTRY	APPLICATION NUMBER	DATE FILED (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119	
			yes	no
			yes	no
			yes	no

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status: patented, pending, abandoned)

I hereby appoint Richard S. Phillips (Reg. No. 17,314), Wm. A. VanSanten (Reg. No. 22,810), Jeffrey L. Clark (Reg. No. 29,141), John S. Mortimer (Reg. No. 30,407), F. William McLaughlin (Reg. No. 32,273), and Dean A. Monco (Reg. No. 30,091), each registered to practice before the United States Patent and Trademark Office and practicing as the firm of **WOOD, PHILLIPS, VAN SANTEN, CLARK & MORTIMER, 500 WEST MADISON STREET, SUITE 3800, CHICAGO, ILLINOIS 60661 (Telephone 312-876-1800)**, my attorneys with full power of substitution and revocation, to prosecute this application, to make alterations or amendments therein, to receive the patent and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to the firm. All telephone inquiries may be directed to:

Wm. A. VanSanten

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full name of sole or first Joint Inventor Jung S. Moon Citizenship Korea  
Inventor's Signature [Signature] Date 4-9-99  
Residence 421 Foxford Drive, Buffalo Grove, IL 60089  
Post Office Address c/o Hearthware Home Products, Inc.  
602 Wheeling Road, Wheeling, IL 60090

Full name of second Joint Inventor, if any Rong Liu Citizenship Peoples Republic of China  
Inventor's Signature [Signature] Date 4/9/99  
Residence 374 Inland Drive, Apt. 3A, Wheeling, IL 60091  
Post Office Address c/o Hearthware Home Products, Inc.  
602 Wheeling Road, Wheeling, IL 60090

Full name of third Joint Inventor, if any Alan R. Kelley Citizenship U.S.A.  
Inventor's Signature [Signature] Date 4/9/99  
Residence 421 E. Oakwood Drive, Barrington, IL 60010  
Post Office Address c/o Hearthware Home Products, Inc.  
602 Wheeling Road, Wheeling, IL 60090

Full name of fourth Joint Inventor, if any \_\_\_\_\_ Citizenship \_\_\_\_\_  
Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_  
Residence \_\_\_\_\_  
Post Office Address \_\_\_\_\_

Full name of fifth Joint Inventor, if any \_\_\_\_\_ Citizenship \_\_\_\_\_  
Inventor's Signature \_\_\_\_\_ Date \_\_\_\_\_  
Residence \_\_\_\_\_  
Post Office Address \_\_\_\_\_